

MIRA Lighted Mirrors NEW

- Various shapes and sizes
- Available with cabinet
- Dual front and backlighting
- Selectable CCT (2700/4000/6500K)
- Touch control & anti-fog technology

Learn more >



MASI Gas Station Canopy Light UPDATE

- Selectable wattage and CCT
- Available in 2 sizes and 3 power packages
- Ultra-low-profile housing
- Operating range of -40° to 122°F



Learn more >

T17 Flat Panels NEW

- Available in 3 sizes
- Field-adjustable wattage and CCT
- High efficacy
- Available with battery backup



Learn more >

WFRETRO34 Back-Lit Retrofit Wafer NEW CB

- 4" = 8W / 800lm; 6" = 11W / 1100lm
- Field-adjustable CCT (2700/3000/3500/4000/5000K)
- 120V with TRIAC dimming
- Airtight & Wet Rated



Learn more >

Amber Outdoor Lights EXTENSION

- Turtle-friendly amber models of the following:
- A34 Area Lights
- LF34 Landscape Floods
- WPLEDS & M Wall Packs



Learn more >

FXLED w/RGBW EXTENSION

- Large FXLED model only
- 3 beam spread options
- 2 mounting options
- Tunable RGBW, 16+ million colors

Learn more >



TEMP34 Temporary Work Lights NEW CB

- Available in 2 wattages
- Up to 18,000 lumens of 360° light
- Daisy chain capability; 120-277V
- Protective cage & waterproof connectors



Learn more >

PWLED Wall Pack NEW


- Light, ultra-thin fixture
- Field-adjustable wattage & CCT
- Integrated on/off photocell
- Sliding lens design for easy installs



Learn more >

HAZXL34 C1D1 Linear High Bay NEW

- Class I, Div 1 (Groups C, D)
- Available in 2 sizes (2 ft and 4 ft)
- 3 wattage options (40, 80, or 120W)
- IP66, T6, certified to UL 1598 & 844



Learn more >

WFRX 2" w/Baffle Wafer EXTENSION CB

- Small-aperture wafer
- Field-adjustable wattage and CCT
- Now available with a baffle trim
- 120V w/TRIAC/ELV dimming



Learn more >

Dim-to-Warm Downlight + Nightlight NEW CB

- 4" and 6", smooth or baffle trim
- Five selectable CCTs
- Dim-to-warm: 3000 - 1800K
- Integrated nightlight



Learn more >

Downlights w/Integrated PIR Sensor NEW CB

- **WFR Edge-Lit Wafer:** 4" and 6"; 120-277V; Wet listed; 90+ CRI; Selectable CCT
- **DISK Surface Mount:** 4" and 6"; 120V; 90+ CRI; Selectable CCT
- **SUMO Surface Mount:** 5, 7, and 9" models; 120V; 90+ CRI; Selectable CCT



Learn more >

DROP Wall Pack NEW CB

- 3 selectable CCTs: 3000/4000/5000K
- Integrated on/off photocell
- Available with or without an emergency battery
- Available in Bronze, Black, and White finishes



Learn more >

Track System Components EXTENSION

- Various new mounting accessories, including:
 - Monopoint, Duopoint, & Pendant Adaptors
 - Canopy & Sloped Ceiling Kits
 - Track Suspension Stems & Couplers



Learn more >

T10EM Emergency Tubes NEW

- UL 924 certified; NSF certified
- Built-in, twist-lock mechanism
- 2, 3, and 4 ft lengths; Type B
- Field-adjustable wattage & CCT




Learn more >

Other Launches

KAI Cobra Head Area Light **NEW**


- Two sizes, two color finishes
- Field-adjustable wattage, CCT, optics
- Adjustable mount (-5° to +5°)
- 3000-hour salt spray tested
- Smart lighting compatible

Learn more >



Emergency Backup Drivers **NEW**


- Three models
- Compatible with 0–10V dimming and non-dimmable fixtures up to 200W
- Minimum of 90 minutes of emergency operation



Learn more >

SWISH AIR **NEW**

- Center basket with return air vents
- Field-adjustable wattage and CCT
- Available without vents for uniform appearance
- Offered with standard or smart sensing



Learn more >

A17XFU Area Light **EXTENSION**

- Both sizes now available in roadway gray
- Wall mount, slipfitter, and adjustable arm also in roadway gray
- Slipfitter kits now also offered in black and white



Learn more >

SLIM17FA Adjustable **EXTENSION** **CB**

- Larger size available in 50W or 80W
- 3 Selectable CCTs
- Adjustable throw 0° - 90° in 15° increments
- Integrated photocell



Learn more >